

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

October 29, 2001

REPLY TO THE ATTENTION OF

(SR-6J)

Mr. Steven D. Smith Solutia, Inc. P.O. Box 66760 St. Louis, Missouri 63166-6760

RE:

Approval of Revised RI/FS Support Sampling Plan

Sauget Area 2 Site – St. Clair County, Illinois

The Sauget Area 2 Site Group (SA2SG) submitted to the U.S. Environmental Protection Agency (U.S. EPA) the Revised RI/FS Support Sampling Plan on September 7, 2001. Supplemental information was submitted for the Quality Assurance Project Plan (QAPP) on October 15 and 19. Although all issues have not been resolved with regards to the Support Sampling Plan, the Agency has no further comments on those sections dealing with Areal Extent of Waste Disposal Areas, Screening Surveys, and Buried Drum, Tank Identification. Therefore, the following sections of the Support Sampling Plan are approved and considered final:

Volume 1

Sections 1 through 5

Section 6.1 - Areal Extent of Waste Disposal Areas

Section 6.2 - Screening Surveys

Section 6.3 - Buried Drum, Tank Identification

Volume 2A - Field Sampling Plan

Section 5.1.1.1	Section 5.2.1.1
Section 5.1.1.2	Section 5.2.1.2
Section 5.1.1.4	Section 5.2.1.4
Section 5.3.1.1	Section 5.4.1.1
Section 5.3.1.2	Section 5.4.1.2
Section 5.3.1.3	Section 5.4.1.4
Section 5.3.1.5	
Section 5.5.1.1	Sections 6 through 12
Section 5.5.1.2	•
Section 5.5.1.4	

Volume 2B - Quality Assurance Project Plan

Only those sections associated with field screening activities

Volume 2C - Health and Safety Plan

Volume 5B - STL SOPs

Only those SOPs associated with field screening activities

It is U.S. EPA's understanding that survey work will begin the week of November 5, 2001. If you have any questions regarding this letter, please do not hesitate to contact me at 312/886-4592.

Sincerely,

Remedial Project Manager

cc:

Thomas Martin, USEPA Peter Barrett, CH2M HILL

Sandra Bron, IEPA

Kevin de la Bruere, USFWS

Michael Henry, IDNR

bcc:

File Room Mike Ribordy 🗸